


Did alcohol consumption increase during the lockdown ?


Arthur Pabst, Zoé Bollen, Coralie Creupelandt, Sullivan Fontesse, Nicolas Pinon, Martin De Duve, Thomas Orban & Pierre Maurage



Early predictions



e.g., Clay & Parker (2020)




e.g., Rehm et al. (2020)


Our study


- Online survey disseminated through social media, University press and national press
 - 1st of April – 3rd of May
 - 7711 complete & clean responses
 - Survey weights
-
- DV = « How much alcohol units do you drink in a typical week before/during the lockdown ?»

Results : how many increased/decreased their consumption ?



Results : How much did respondents increase/decrease ?





No « generalized » increase in consumption

- Implications for the communication of descriptive norms



America is drinking its way through the coronavirus crisis – that means more health woes ahead

En confinement, les Belges boivent plus d'alcool qu'en temps ordinaire

Boire des boissons alcoolisées pendant le confinement semble être devenu une occupation parmi d'autres. C'est en tout cas ce que montrent les chiffres de vente d'alcool en grande surface.



Focus on specific groups



ELSEVIER

Contents lists available at [ScienceDirect](#)

Addictive Behaviors



journal

Short communication

Prior drinking motives predict alcohol consumption during COVID-19 lockdown: A cross-sectional study

Zoé Bollen^a, Arthur Pabst^a, Coralie Creupelandt^a, Nicolas Pinon^c, Pierre Maurage^{a,*}

^a Louvain Experimental Psychopathology Research Group (LEP),

^b Department of Psychiatry and Behavioral Sciences, Stanford University,

^c Psychological Sciences Research Institute, UCLouvain, Belgium




ELSEVIER

Contents lists available at [ScienceDirect](#)

Progress in Neuropharmacology & Biological Psychiatry

journal homepage: www.elsevier.com/locate/pnp





Alcohol consumption changes following COVID-19 lockdown among French-speaking Belgian individuals at risk for alcohol use disorder

Arthur Pabst, Zoé Bollen, Coralie Creupelandt, Sullivan Fontesse, Pierre Maurage^{*}

Louvain Experimental Psychopathology Research Group (LEP), Psychological Sciences Research Institute, UCLouvain, Louvain-la-Neuve, Belgium



Longitudinal study



Thank you !